

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : GREEN'R STAIN WASH POWER
Product code : 1113
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Stain remover

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns España, S.A.U
Av. Mediterráneo, 11
28007 MADRID - Spain
T 902 636 273 - F 915 525 015
info.spain@christeyns.com - www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
Bradford BD4 7EA - United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234696 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

Distributor

Casoria Company Ltd.
1 Farnham Street
H12 A9K0 Cavan - Ireland
T 00353 49 4361869 - F 00353 49 436 1869
sds@casoria.ie - www.casoria.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
2 Dublin - Ireland
T Tel: +353 1 8146022

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 H318

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

CLP Signal word

: Danger

Contains

: Alcohols, C12-18, ethoxylated

Hazard statements (CLP)

: H318 - Causes serious eye damage.

Precautionary statements (CLP)

: P280 - Wear eye protection.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

2.3. Other hazards

Component	
Alcohols, C12-18, ethoxylated (68213-23-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1-(3-methoxypropoxy)propan-1-ol (34590-94-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohol ethoxylated (157627-86-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C12-18, ethoxylated	(CAS-no) 68213-23-0 (Einecs nr) 500-201-8 (EG annex nr) 500-201-8 (REACH-no) exemption polymer	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Chronic 3, H412
Propylene glycol substance with national workplace exposure limit(s) (GB)	(CAS-no) 57-55-6 (Einecs nr) 200-338-0 (EG annex nr) 200-338-0 (REACH-no) 01-2119456809-23	5 – 10	Not classified
1-(3-methoxypropoxy)propan-1-ol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-no) 34590-94-8 (Einecs nr) 252-104-2 (REACH-no) 01-2119450011-60	5 – 10	Not classified
Alcohols, ethoxylated, sulfates, sodium salts	(CAS-no) 68891-38-3 (Einecs nr) 500-234-8 (REACH-no) 01-2119488639-16	3 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium cumenesulphonate	(CAS-no) 15763-76-5 (Einecs nr) 239-854-6 (EG annex nr) / (REACH-no) 01-2119489411-37	1 – 3	Eye Irrit. 2, H319

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol ethoxylated	(CAS-no) 157627-86-6 (Einecs nr) 500-337-8 (REACH-no) exemption polymer	1 – 3	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
---------------------	---	-------	--

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Alcohols, ethoxylated, sulfates, sodium salts	(CAS-no) 68891-38-3 (Einecs nr) 500-234-8 (REACH-no) 01-2119488639-16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318
Alcohol ethoxylated	(CAS-no) 157627-86-6 (Einecs nr) 500-337-8 (REACH-no) exemption polymer	(10 <C ≤ 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin contact	: Wash skin with plenty of water.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin	: No data available.
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : In fire case not far from, any kind of extinguisher can be used.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Wash away remainder with plenty of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Only store product in original container. Store in a well-ventilated place. Keep cool.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Storage temperature : 5 – 40 °C
Material(s) to avoid : None known.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Propylene glycol (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m ³ particulates 474 mg/m ³ total vapour and particulates
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

1-(3-methoxypropoxy)propan-1-ol (34590-94-8)

EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	(2-Methoxymethylethoxy)-propanol
IOEL TWA	308 mg/m ³
IOEL TWA [ppm]	50 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	(2-methoxymethylethoxy) propanol
WEL TWA (OEL TWA) [1]	308 mg/m ³
WEL TWA (OEL TWA) [2]	50 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	175 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m ³
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.24 mg/l
PNEC aqua (marine water)	0.024 mg/l

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PNEC (Sediment)	
PNEC sediment (freshwater)	0.9168 mg/kg dwt
PNEC sediment (marine water)	0.09168 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.946 mg/kg dwt

1-(3-methoxypropoxy)propan-1-ol (34590-94-8)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	65 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	310 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	1.67 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	37.2 mg/m ³
Long-term - systemic effects, dermal	15 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	19 mg/l
PNEC aqua (marine water)	1.9 mg/l
PNEC aqua (intermittent, freshwater)	190 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	70.2 mg/kg dwt
PNEC sediment (marine water)	7.02 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.74 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	4168 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:
Safety glasses with side shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:
Not required

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:
Not required

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: None.
Odour threshold	: Not available
Melting point/range	: Not available
Freezing point	: Not available
Boiling point/Boiling range	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not applicable
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 7 – 9.5 (100%)
Viscosity, kinematic	: Not available
Solubility	: Water: 100% (20°C)
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1.02 – 1.05
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

High temperature. Temperatures below 0°C.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)

LD50 oral rat	> 4100 mg/kg OCDE 401
LD50 dermal rat	> 2000 mg/kg OCDE 402

Alcohols, C12-18, ethoxylated (68213-23-0)

LD50 oral rat	2000 mg/kg
---------------	------------

1-(3-methoxypropoxy)propan-1-ol (34590-94-8)

LD50 oral rat	> 4000 mg/kg
LD50 dermal rabbit	9500 mg/kg

Sodium cumenesulphonate (15763-76-5)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight

Skin corrosion/irritation	: Not classified pH: 7 – 9.5 (100%)
Serious eye damage/irritation	: Causes serious eye damage. pH: 7 – 9.5 (100%)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Sodium cumenesulphonate (15763-76-5)

NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight (OECD 453 method)
---	---

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Sodium cumenesulphonate (15763-76-5)

NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight (OECD 408 method)
----------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l OECD 203
EC50 - Crustacea [1]	7.4 mg/l OECD 202 Daphnia sp.Acute Immobilization Test and Reproduction Test
EC50 72h - Algae [1]	27.7 mg/l
ErC50 algae	27.7 mg/l OECD 201 Alga, Growth Inhibition Test
NOEC chronic algae	0.95 mg/l OECD 201 Alga, Growth Inhibition Test

1-(3-methoxypropoxy)propan-1-ol (34590-94-8)	
LC50 - Fish [1]	10000 mg/l
EC50 - Crustacea [1]	1919 mg/l

Alcohol ethoxylated (157627-86-6)	
LC50 - Fish [1]	1.1 (1 – 10) mg/l
EC50 - Crustacea [1]	0.11 (0.1 – 1) mg/l

Sodium cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	≥ 758 mg/l Pseudokirchneriella subcapitata
ErC50 algae	> 100 mg/l

12.2. Persistence and degradability

GREEN'R STAIN WASH POWER	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
Persistence and degradability	Biodegradable.

Alcohols, C12-18, ethoxylated (68213-23-0)	
Persistence and degradability	Biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Alcohols, C12-18, ethoxylated (68213-23-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1-(3-methoxypropoxy)propan-1-ol (34590-94-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohol ethoxylated (157627-86-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste / unused products : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable

No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Other information, restriction and prohibition regulations : Not affected by the conditions of restriction _ ANNEXE XVII.

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
anionic surfactants, non-ionic surfactants	5-15%
SUBTILISIN	
Amylase, alpha	

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
	Review date	Modified	
8.1	Regulatory reference	Modified	
	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	

Other information

: It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.