



SAFETY DATA SHEET

Sultraspot Color

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Sultraspot Color
Product number 7866/21474

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Christeyns NV
Afrikalaan 182
9000 Gent
Belgium
Tel: +32 9 223 38 71
info@christeyns.be

Manufacturer Cole & Wilson Ltd
Nabbs Lane Chemical Works
Nabbs Lane
Slaithwaite
Huddersfield
HD7 5AT
Tel: 01484 842353
info@coleandwilson.com

1.4. Emergency telephone number

Emergency telephone (DE) Giftnotruf Berlin +49 30 19240 (24h erreichbar)
(DE) Giftnotruf Berlin +49 (0)30 30686 790
(CH) STIZ, tel. 145
(CH) Centre suisse d'information toxicologique: +41.(0)1.251.51.51
(AT) Vergiftungsinformationszentrale: +43 1 40 400 2222
worldwide: <http://www.who.int/ipcs/poisons/centre/directory/en>
(FR) CENTRE ANTI-POISON France: +33 45 42 59 59 ORFILA (INRS)
(FR) CENTRE ANTI-POISON Nancy: +33 (03) 83 26 36 36
(FI) Myrkytystietokeskus +358 9 471 977
(BE) Belgisch Antigifcentrum/Centre Antipoisons Belge : +32 70 245 245
(ES) Teléfono Instituto Nacional de Toxicología: 915 620 420
(GB) NHS 111
(IT) Centro Antiveleni, Ospedale Niguarda Milano: +39 02 6610 1029
(CZ) Toxikologické informační středisko, Klinika pracovního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00 Praha 2: +420 224 919 293, +420 224 915 402
(SK) Národné toxikologické informačné centrum, Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovního lékařstva a toxikologie, Limbová 5, 833 05 Bratislava : +421 2 54 77 41 66

National emergency telephone number National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Sultraspot Color

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Pictogram



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Contains	C9-11 ALCOHOL ETHOXYLATE (6.5 EO)
Detergent labelling	5 - < 15% aliphatic hydrocarbons, 5 - < 15% anionic surfactants, 5 - < 15% non-ionic surfactants
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

DODECYLBENZENE SULPHONIC ACID - ISOPROPYLAMINE SALT 10-15%		
CAS number: 84961-74-0	EC number: 284-664-9	REACH registration number: 01-2119985163-33-XXXX
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
2-(2-butoxyethoxy) ethanol 10-15%		
CAS number: 112-34-5	EC number: 203-961-6	REACH registration number: 01-2119475104-44-0000
Classification Eye Irrit. 2 - H319		
C9-11 ALCOHOL ETHOXYLATE (6.5 EO) 5-10%		
CAS number: 68439-46-3		
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318		

Sultraspot Color

2-HYDROXY-1,2,3-PROPANETRICARBOXYLICACID			5-10%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01-2119457026-42-XXXX	
Classification Eye Irrit. 2 - H319			
PROPAN-2-OL			1-3%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-XXXX	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Skin irritation.
Eye contact	Severe irritation, burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. If in doubt, get medical attention promptly.
----------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Sulphur.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Sulphur.

5.3. Advice for firefighters

Protective actions during firefighting	If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.
--	---

Sultraspot Color

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Avoid freezing. Keep container tightly closed.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

2-(2-butoxyethoxy) ethanol

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

2-(2-butoxyethoxy) ethanol (CAS: 112-34-5)

DNEL

Consumer - Dermal; Long term systemic effects: 10 mg/kg/day

Workers - Dermal; Long term systemic effects: 20 mg/kg/day

Consumer - Inhalation; Short term local effects: 50.6 mg/m³

Consumer - Inhalation; Long term local effects: 34 mg/m³

Workers - Inhalation; Long term local effects: 67.3 mg/m³

Consumer - Inhalation; Long term systemic effects: 34 mg/m³

Workers - Inhalation; Long term systemic effects: 67.5 mg/m³

Sultraspot Color

PNEC	<ul style="list-style-type: none"> - Fresh water; 1 mg/l - Sediment (Freshwater); 4 mg/kg - Intermittent release; 3.9 mg/l - Sediment (Marinewater); 0.4 mg/kg - Marine water; 0.1 mg/l - STP; 200 mg/l
------	---

2-HYDROXY-1,2,3-PROPANETRICARBOXYLICACID (CAS: 77-92-9)

PNEC	<ul style="list-style-type: none"> - Fresh water; 0.44 mg/l - Marine water; 0.044 - Sediment (Freshwater); 3.46 mg/l - Sediment (Marinewater); 34.6 mg/l - STP; >1000 mg/l - Soil; 33.1 mg/kg
------	--

PROPAN-2-OL (CAS: 67-63-0)

DNEL	<p>Workers - Dermal; Long term systemic effects: 888 mg/kg bw/day</p> <p>Workers - Inhalation; Long term systemic effects: 500 mg/m³</p> <p>Consumer - Dermal; Long term systemic effects: 319 mg/kg bw/day</p> <p>Consumer - Inhalation; Long term systemic effects: 89 mg/m³</p> <p>Consumer - Oral; Long term systemic effects: 26 mg/kg bw/day</p>
PNEC	<ul style="list-style-type: none"> - Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment; 552 mg/kg - Soil; 28 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellowish.
Odour	Acidic.
Initial boiling point and range	>100°C @ 760 mm Hg
Relative density	1.03 @ 15°C
Solubility(ies)	Soluble in water. Dispersible in Chlorinated Hydrocarbons

Sultraspot Color

9.2. Other information

Other information Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Alkalis. Oxidising agents. Reducing agents.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid freezing.

10.5. Incompatible materials

Materials to avoid Alkalis. Oxidising agents. Reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Heating may generate the following products: Oxides of the following substances: Carbon. Nitrogen. Sulphur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 3,762.5

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Sultraspot Color

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation

This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact

Irritating to skin.

Eye contact

Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Acute and chronic health hazards Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.

Toxicological information on ingredients.

DODECYLBENZENE SULPHONIC ACID - ISOPROPYLAMINE SALT

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE oral (mg/kg) 2,001.0

C9-11 ALCOHOL ETHOXYLATE (6.5 EO)

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 301.0

Species Rat

ATE oral (mg/kg) 301.0

2-HYDROXY-1,2,3-PROPANETRICARBOXYLICACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

PROPAN-2-OL

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 26.0

Sultraspot Color

ATE inhalation (vapours mg/l) 26.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

SECTION 12: Ecological Information

Ecotoxicity Low acute toxicity to aquatic organisms.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

2-(2-butoxyethoxy) ethanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1300 mg/l, *Lepomis macrochirus* (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >100 mg/l, *Daphnia magna*

Acute toxicity - aquatic plants EC₅₀, 96 hours: >100 mg/l, *Scenedesmus subspicatus*

C9-11 ALCOHOL ETHOXYLATE (6.5 EO)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1-10 mg/l, Fish

2-HYDROXY-1,2,3-PROPANETRICARBOXYLICACID

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 48 hours: 440 mg/l, *Oncorhynchus mykiss* (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: 1535 mg/l, *Daphnia magna*

Acute toxicity - aquatic plants NOEC, 8 days: 425 mg/l,

PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 9640 mg/l, *Pimephales promelas* (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LC₅₀, 24 hours: 9714 mg/l, *Daphnia magna*

Acute toxicity - aquatic plants EC₅₀, 72 hours: >100 mg/l, *Scenedesmus subspicatus*

Acute toxicity - microorganisms EC₅₀, : >100 mg/l, Bacteria

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is non-volatile.

Sultraspot Color

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of contents/container in accordance with local regulations.

EURAL Code

SECTION 14: Transport information

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	Revision is to include emergency telephone number
Revision date	19/12/2018
Revision	3
Supersedes date	03/04/2018
SDS number	7866/12300

Sultraspot Color

Hazard statements in full

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.