

\* Hypur Konz.  
# 8560009202

Version: 8 / GB

Master No. MA-211

Date revised: 07.05.2024  
Print date: 08.05.2024

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name**

Hypur Konz.

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Odour binder

### **1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

BÜFA Cleaning GmbH & Co. KG  
August-Hanken-Str. 30  
26125 Oldenburg  
Telephone no. +49 441 9317 0  
Fax no. +49 441 9317 100  
Information provided Department product safety / +49 441 9317 108  
by / telephone  
E-Mail sds-cleaning@buefa.de

### **1.4. Emergency telephone number**

Poison Information Center Goettingen: +49 551 19240

## **SECTION 2: Hazards identification \*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Regulation (EC) No. 1272/2008)**

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008  
For explanation of abbreviations see section 16.

### **2.2. Label elements**

**Labelling according to regulation (EC) No 1272/2008**

**Hazard pictograms \*\*\***



**Signal word**

Danger

**Hazard statements \*\*\***

H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

P280.2	Wear protective gloves/ eye/ face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P391	Collect spillage.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains \*\*\* Isotridecanol, ethoxylated; amides, coco, N,N-bis(hydroxyethyl); (ethylenedioxy)dimethanol; Orange, sweet, ext. (R)-p-mentha-1,8-diene

**2.3. Other hazards**

\*\*\*

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients \*\*\*****3.2. Mixtures****Hazardous ingredients \*\*\*****amides, coco, N,N-bis(hydroxyethyl)**

CAS No.	68603-42-9
EINECS no.	271-657-0
Registration no.	01-2119490100-53-XXXX (EC931-329-6)
Concentration	>= 10 < 25 %
Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Chronic 2	H411

**Isotridecanol, ethoxylated**

CAS No.	69011-36-5
EINECS no.	931-138-8
Registration no.	IRRELEVANT (POLYMER)
Concentration	>= 10 < 23 %
Acute Tox. 4	H302
Eye Dam. 1	H318

## Concentration limits (Regulation (EC) No. 1272/2008)

	Eye Irrit. 2	H319	> 1 < 10 %
	Eye Dam. 1	H318	>= 10 %
ATE	oral	1.000	mg/kg

**(ethylenedioxy)dimethanol**

CAS No.	3586-55-8
EINECS no.	222-720-6
Registration no.	01-2120733841-56-XXXX
Concentration	>= 10 < 13 %
Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318

ATE	oral	761	mg/kg
-----	------	-----	-------

**2-(2-butoxyethoxy)ethanol**

CAS No.	112-34-5
EINECS no.	203-961-6
Registration no.	01-2119475104-44-XXXX
Concentration	>= 10 < 25 %
Eye Irrit. 2	H319

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

**Urea, polymer with formaldehyde**

CAS No.	9011-05-6				
EINECS no.	618-464-3				
Concentration	>=	1	<	10	%
Skin Irrit. 2	H315				
Eye Irrit. 2	H319				

**(R)-p-mentha-1,8-diene**

CAS No.	5989-27-5				
EINECS no.	227-813-5				
Registration no.	01-2119529223-47-XXXX				
Concentration	>=	2,5	<	10	%
Aquatic Chronic 3	H412				
Aquatic Acute 1	H400				
Flam. Liq. 3	H226				
Skin Irrit. 2	H315				
Skin Sens. 1	H317				
Asp. Tox. 1	H304				

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1	M = 1
Aquatic Chronic 1	M = 1

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C

**Orange, sweet, ext.**

CAS No.	8028-48-6				
EINECS no.	232-433-8				
Registration no.	01-2119493353-35-XXXX				
Concentration	>=	0,1	<	1	%
Flam. Liq. 3	H226				
Asp. Tox. 1	H304				
Skin Irrit. 2	H315				
Skin Sens. 1	H317				
Aquatic Chronic 2	H411				

**Further ingredients****White oils**

CAS No.	8042-47-5	EINECS no.	232-455-8			
Registration no.	01-2119487078-27-XXXX					
Concentration	>=	1	<	10	%	[3]
Asp. Tox. 1	H304					

**Note**

[3] Substance with occupational exposure limits  
For explanation of abbreviations see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

**After skin contact**

Wash off immediately with soap and water.

**After eye contact**

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

There is no further relevant information available

**4.3. Indication of any immediate medical attention and special treatment needed**

There is no further relevant information available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, Dry powder, Water spray jet

**5.2. Special hazards arising from the substance or mixture**

If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

**5.3. Advice for firefighters**

Cool endangered containers with water spray jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

High risk of slipping due to leakage/spillage of product. Use personal protective clothing.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

**6.4. Reference to other sections**

Refer to protective measures listed in Sections 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Observe the usual precautions for handling chemicals.

**7.2. Conditions for safe storage, including any incompatibilities**

Emptied containers may contain product residues and therefore must be handled with care. Reuse only after appropriate cleaning. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**7.3. Specific end use(s)**

No information available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limit values****2-(2-butoxyethoxy)ethanol**

List

EH40

Type

WEL

Value

67.5

mg/m<sup>3</sup>

10

ppm(V)

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

Short term exposure limit	101.2	mg/m <sup>3</sup>	15	ppm(V)
<b>2-(2-butoxyethoxy)ethanol</b>				
List	IOELV			
Type	IOELV			
Value	67,5	mg/m <sup>3</sup>	10	ppm(V)
Short term exposure limit	101,2	mg/m <sup>3</sup>	15	ppm(V)

## 8.2. Exposure controls

### General protective and hygiene measures

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

### Respiratory protection

Not necessary.

### Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,6	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Eye protection

Tightly fitting safety glasses

### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid		
<b>Colour</b>	yellowish		
<b>Odour</b>	Aldehyde-like		
<b>Melting point</b>	not determined		
Remarks	not determined		
<b>Boiling point</b>	not determined		
Remarks	not determined		
<b>Flammability</b>	not determined		
evaluation	not determined		
<b>Explosion limits</b>	not determined		
Remarks	not determined		
<b>Flash point</b>	not determined		
Value	>	100	°C
<b>Ignition temperature</b>	not determined		
Remarks	not determined		
<b>Thermal decomposition</b>	Not relevant		
Remarks	Not relevant		

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

**pH value**

Value 7 to 8

**Viscosity****kinematic**Value appr. 33 mm<sup>2</sup>/s  
Temperature 40 °C**Solubility in other solvents**

not determined

**Octanol/water partition coefficient (log Pow)**

Remarks Not relevant

**Vapour pressure**

Remarks not determined

**Density**

Value appr. 1,01 kg/l

**Vapour density**

Remarks not determined

**Particle characteristics**

Remarks irrelevant (liquid)

**9.2. Other information****Odour threshold**

Remarks No data available

**Solubility in water**

Remarks miscible

**Efflux time**Value 22 s  
Method DIN 53211 4 mm**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

The product is stable.

**10.3. Possibility of hazardous reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4. Conditions to avoid**

Protect from heat and direct sunlight.

**Thermal decomposition**

Remarks Not relevant

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity**

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

ATE 2.966 mg/kg  
 Method calculated value (Regulation (EC) No. 1272/2008)  
 Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****Isotridecanol, ethoxylated**

ATE 500 mg/kg  
 Source Estimated value

**2-(2-butoxyethoxy)ethanol  
(ethylenedioxy)dimethanol**

Species rat  
 LD50 761 mg/kg

**Urea, polymer with formaldehyde**

Species rat  
 LD50 8394 mg/kg

**Acute dermal toxicity**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****2-(2-butoxyethoxy)ethanol****Acute inhalational toxicity**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

evaluation irritant  
 The classification criteria are met.

**Serious eye damage/irritation**

evaluation corrosive  
 The classification criteria are met.

**Sensitization**

evaluation May cause sensitization by skin contact.  
 The classification criteria are met.

**Sensitization (Components)****Orange, sweet, ext.**

May cause sensitization by skin contact.

**(R)-p-mentha-1,8-diene**

Route of exposure dermal  
 evaluation sensitizing

**Mutagenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Based on available data, the classification criteria are not met.

**Repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Fish toxicity

##### 2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	sun perch		
LC50	1300		mg/l
Duration of exposure	96	h	

#### Daphnia toxicity

##### 2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	
Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Daphnia magna		
NOEC	112		mg/l
Duration of exposure	14	d	

#### Algae toxicity

##### 2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Desmodesmus subspicatus		
ErC50	> 100		mg/l
Duration of exposure	72	h	
Method	OECD 201		

#### Bacteria toxicity

##### 2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	activated sludge		
EC10	> 1995		mg/l
Duration of exposure	30	min	
Source	Literature value		

### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### Biodegradability

##### 2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol			
Value	89	to	93	%
Duration of test evaluation	28	d		
Method	readily degradable OECD 301 C			

### 12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

#### Octanol/water partition coefficient (log Pow)

Remarks	Not relevant
---------	--------------

### 12.4. Mobility in soil



\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

For this subsection there is no ecotoxicological data available on the product as such.

## 12.5. Results of PBT and vPvB assessment

### Results of PBT and vPvB assessment

The product contains no PBT substances. The product contains no vPvB substances.

## 12.6 Endocrine disrupting properties

### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.

### Information for all modes of transport

#### 14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Other information

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## SECTION 15: Regulatory information \*\*\*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Major-accident categories acc. 2012/18/EU

Category E2 Hazardous to the Aquatic Environment

#### Ingredients (Regulation (EC) No 648/2004)

#### National regulations Switzerland

SFOPH T no. 468384

#### VOC \*\*\*

VOC (EU) 5,71 %

#### Other information \*\*\*

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of

\* Hypur Konz.

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

Regulation (EC) No. 1907/2006 (REACH).

## 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

### Hazard statements listed in Chapter 2/3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 3	Flammable liquid, Category 3
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1

### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 GGVSee: Gefahrgutverordnung See  
 IMDG: International Maritime Code for Dangerous Goods  
 CAS: Chemical Abstracts Service  
 EAK: Europäischer Abfallkatalog  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 VOC: Volatile Organic Compound  
 GefStoffV: Gefahrstoffverordnung  
 TA Luft: Technische Anleitung zur Reinhaltung der Luft  
 INCI: International Nomenclature of Cosmetic Ingredients  
 n.a.g.: nicht anders genannt  
 MAK: Maximale Arbeitsplatz-Konzentration  
 AGW: Arbeitsplatzgrenzwert  
 BGW: Biologischer Grenzwert  
 TRGS: Technische Regeln für Gefahrstoffe  
 OEL: Occupational exposure limit  
 SUVA: Schweizerische Unfallversicherungsanstalt  
 WEL: Workplace exposure limit  
 MAC: Maximale aanvaarde concentratie (Netherlands)  
 MEL: Maximum exposure limits  
 NOEL: No observable effect level

---

**\* Hypur Konz.**

Date revised: 07.05.2024

# 8560009202

Version: 8 / GB

Master No. MA-211

Print date: 08.05.2024

---

NOEC: No observable effect concentration

LD: Lethal dose

LC: Lethal concentration

LLC: Lowest lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

DNEL: Derived no effect level

DMEL: Derived minimal effect level

PNEC: Predicted no effect concentration

PEC: Predicted environmental concentration

GHS: Globally Harmonized System of classification and Labelling of Chemicals

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

EG: Europäische Gemeinschaft

EWG: Europäische Wirtschaftsgemeinschaft

EU: European Union

HSNO: Hazardous Substances and New Organisms Act (New Zealand)

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.