

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Review date: 15/03/2021 Supersedes version of: 06/08/2019 Version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Mulan Citro

Product code : 612

Type of product : Detergent

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Degreaser

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ManufacturerDistributorChristeyns NVChristeyns Ltd.Afrikalaan 182Rutland Street

9000 GENT - Belgium P.O. Box Bradford BD4 7EA - UK T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44 Bradford BD4 7EA - United Kingdom

<u>info@christeyns.be</u> - <u>www.christeyns.com</u> T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

2 Dublin - Ireland

T Tel: +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234693 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

in amongoney telephone number				
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 3	H412

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word : Danger

Contains : Ethoxylated Alcohol; Ethoxylated Alcohol; Terpene, monocyclic; 2-butoxyethanol

Hazard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation.

> H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethoxylated Alcohol	(CAS-no) 157627-86-6 (Einecs nr) 500-337-8/500-213-3/500- 195-7/500-201-8 /500-221-7/500-457- 0 (REACH-no) Exempted (polymer)	30 – 60	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Chronic 3, H412
Ethoxylated Alcohol	(CAS-no) 160901-19-9 (Einecs nr) 500-337-8/500-457-0/500- 221-7/500-213-3 (EG annex nr) / (REACH-no) Exempted	10 – 30	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
2-butoxyethanol substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	(CAS-no) 111-76-2 (Einecs nr) 203-905-0 (EG annex nr) 603-014-00-0 (REACH-no) 01-2119475108-36	10 – 30	Acute Tox. 4 (Oral), H302 (ATE=1300 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319
(2-methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	(CAS-no) 34590-94-8 (Einecs nr) 252-104-2 (REACH-no) 01-2119450011-60	1 – 3	Not classified
Terpene, monocyclic	(CAS-no) 5989-27-5 (Einecs nr) 227-813-5 (EG annex nr) 601-029-00-7 (REACH-no) 01-2119529223-47	1 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

Skin contact : In case of faintness or symptoms of skin irritation appear, take medical advice. Wash off

with plenty of water. Immediately remove contaminated clothing or footwear.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion : Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : Presents no particular risk when handled in accordance with good occupational hygiene

practice.

Acute effects skin : Causes skin irritation. May cause an allergic skin reaction.

Acute effects eyes : Causes serious eye damage.
Acute effects oral route : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture Explosion hazard : Not applicable.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not contaminate ground and surface water. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed

container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : After use, container has to be completely emptied and closed. Emergency eye wash

fountains and safety showers should be available in the immediate vicinity of any potential

exposure.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep out of frost.

Material(s) to avoid : Never mix with other materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)		
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	246 mg/m³	
IOEL STEL [ppm]	50 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL TWA [1]	98 mg/m³	
OEL TWA [2]	20 ppm	
OEL STEL	246 mg/m³	
OEL STEL [ppm]	50 ppm	
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL TWA (OEL TWA) [2]	25 ppm	
WEL STEL (OEL STEL)	246 mg/m³	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

(2-methoxymethylethoxy)propanol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Notes	Skin	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits		
Local name	(2-Methoxymethylethoxy)-I-propanol	
OEL TWA [1]	308 mg/m³	
OEL TWA [2]	50 ppm	
Notes (IE) Sk, IOELV		
United Kingdom - Occupational Exposure Limits		
Local name	(2-methoxymethylethoxy) propanol	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses with side-shields (EN 166)	

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Physical state/form : Liquid. Odour : Characteristic. Odour threshold : Not available Melting point/range : Not available Freezing point : Not available Boiling point/Boiling range : ≥ 100 °C Flammability : Not available **Explosive limits** : Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lower explosive limit (LEL): Not availableUpper explosive limit (UEL): Not availableFlash point: > 92 °CAutoignition temperature: Not availableDecomposition temperature: Not available

pH : 8.2

Viscosity, kinematic : 38 ± 10 mPa.s (20° C)

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available · Not available Vapour pressure Vapour pressure at 50 °C : Not available Density : 0.96 kg/l : Not available Relative density Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 16.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Mulan Citro	
ATE CLP (oral)	659.977 mg/kg bodyweight

Ethoxylated Alcohol (157627-86-6)	
LD50 oral rat	300 – 2000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)	
LD50 oral rat	1300 mg/kg
LD50 dermal rat	1100 mg/kg
LC50 Inhalation - Rat [ppm]	4500
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h

(2-methoxymethylethoxy)propanol (34590-94-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	13000 – 14000 mg/kg

Terpene, monocyclic (5989-27-5)	
LD50 oral rat	> 4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation : Causes skin irritation.

pH: 8.2

Serious eye damage/irritation : Causes serious eye damage.

pH: 8.2

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

2-butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable

Terpene, monocyclic (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Mulan Citro	
Viscosity, kinematic	38 ± 10 mPa.s (20° C)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

Ethoxylated Alcohol (157627-86-6)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ErC50 other aguatic plants	1 – 10 mg/l
= coo on o aquano planto	· · · · · · · · · · · · · · · · · · ·

Ethoxylated Alcohol (160901-19-9)	
LC50 - Fish [1]	0.1 – 1 mg/l (Danio rerio - OESO 203 - ECHA)
EC50 - Crustacea [1]	0.1 – 1 mg/l (Daphnia magna - ECHA)
ErC50 algae	0.1 – 1 mg/l
NOEC chronic fish	> 0.1 mg/l
NOEC chronic algae	0.14 mg/l (CESIO)

2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1550 mg/l Daphnia magna
EC50 72h - Algae [1]	1840 mg/l
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic crustacea	100 mg/l Daphnia magna
NOEC chronic algae	130 mg/l

(2-methoxymethylethoxy)propanol (34590-94-8)	
EC50 - Crustacea [1]	1.919 mg/l
ErC50 other aquatic plants	> 969 mg/l

Terpene, monocyclic (5989-27-5)	
LC50 - Fish [1]	0.8 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	69.8 mg/l
ErC50 algae	150 mg/l

12.2. Persistence and degradability

Mulan Citro

Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ethoxylated Alcohol (157627-86-6)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.
Biodegradation	≥ 90 % (mod. OECD 303A)

Ethoxylated Alcohol (160901-19-9)	
Persistence and degradability	Readily biodegradable.

2-butoxyethanol (111-76-2)		
Persistence and degradability	Biodegradable.	

Terpene, monocyclic (5989-27-5)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

Ethoxylated Alcohol (160901-19-9)	
Bioaccumulative potential	No bioaccumulation.

15/03/2021 (Revision date) EN (English) 8/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)		
Log Pow	0.8	

Terpene, monocyclic (5989-27-5)		
BCF - Fish [1]	683.1	
Bioaccumulative potential	Potentially bioaccumulable.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products

- : Collect all waste in suitable and labelled containers and dispose according to local
- legislation.

European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID n	umber	
UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.
Transport document descr	iption	
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty alcohol ethoxylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty alcohol ethoxylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Fatty alcohol ethoxylate), 9, III
14.3. Transport hazard	class(es)	
9	9	9
1 1 1 1 1 1 1 1 1 1	**************************************	***************************************
14.4. Packing group		
III	III	III
14.5. Environmental haz	ards	
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information	on available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

: TP1, TP29

Tunnel code : EAC code : •3Z

Transport by sea

Special provisions (IMDG): 274, 335, 969Packing instructions (IMDG): P001, LP01Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03

Air transport

PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 16.5 %

Allergenic fragrances > 0,01%:

Terpene, monocyclic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Detergent Regulation (648/2004/EC): Labelling of contents:		
Component	%	
non-ionic surfactants	≥30%	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
	SDS EU format	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	Skin contact	Modified	
4.1	Inhalation	Modified	
9.2	VOC content	Added	
11.1	ATE CLP (oral)	Modified	
15.1	VOC content	Added	
15.1	Regulatory reference	Modified	

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ErC50 (algae)	ErC50 (algae)		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

vPvB	Very Persistent and Very Bioaccumulative		
Other information	: It is recommended to pass the information of this safety data sheet in an appropriate form to the users.		
	Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products.		
	This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage		
	and loss due to the use of information mentioned in this safety data sheet		

Full text of H- and EUH-statem	nents:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Acute Tox. 4 (Oral)	H302	Calculation method	
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.